

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2020/878 and Regulation (EC) No. 1272/2008

Issuing Date 17-May-2023 Revision Date 17-May-2023 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) MCT

Product Name AMSOIL SAE 10W-30 Synthetic Metric Motorcycle Oil

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricating Oil

Uses advised against Avoid formation of mists

1.3. Details of the supplier of the safety data sheet

Supplier

AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA T: +1 715-392-7101

For further information, please contact

E-mail address compliance@amsoil.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC (Italy): 39-0245557031

CHEMTREC International: +1 703-741-5970

Emergency telephone - §45 - (EC)1272/2008

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation Category 2 - (H319)

2.2. Label elements

Contains Hydrogenated base oil



(M)SDS Number UL-ASL-383

Signal word

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Hydrogenated base oil 64742-54-7	50-60	No data available	(649-467-00-8) 265-157-1	Carc. 1B (H350) (*L)	-	-	-
Hydrogenated base oil 64742-65-0	1-5	No data available	(649-474-00-6) 265-169-7	Carc. 1B (*L) (H350)	-	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpenten e 68411-46-1	<3	No data available	270-128-1	Aquatic Chronic 3 (H412) Repr.2 (H361f)	-	-	-
4,4'-Methylene bis(dibutyldithiocarba mate) 10254-57-6	0.1-1	No data available	233-593-1	Aquatic Chronic 4 (H413)	-	-	-
Diphenylamine 122-39-4	<0.1	No data available	(612-026-00-5) 204-539-4	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	-	-	-

STOT RE 2	
(H373)	
Aquatic Acute	
1 (H400)	
Aquatic	
Chronic 1	
(H410)	1

Additional information

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrogenated base oil 64742-54-7	15000	5000	No data available	No data available	No data available
Hydrogenated base oil 64742-65-0	15000	5000	2.4	No data available	No data available
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	5000	2000	No data available	No data available	No data available
4,4'-Methylene bis(dibutyldithiocarbamate) 10254-57-6	16000	2000	No data available	No data available	No data available
Diphenylamine 122-39-4	1120	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing. Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Self-protection of the first aider

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in

> large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing. May cause redness and tearing of the eyes.

Revision Date: 17-May-2023

Burning sensation.

No information available. **Effects of Exposure**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapours.

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). **Hazardous combustion products**

5.3. Advice for firefighters

Specific/special fire-fighting

measures

Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter

protection, and actions to control or extinguish the fire.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Refer to protective measures listed in Sections 7 and 8. Other information

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

Revision Date: 17-May-2023

cleaning, flush away traces with water.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection; Section

12: Ecological information; Section 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with used product. Wash hands thoroughly after handling. Handle in

accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated

clothing and shoes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Do not reuse empty containers. Store away from incompatible materials. See section 10 for

more information. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s). The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended: Short-term exposure limit (15-minute): 10 mg/m³. Long-term exposure limit

(8-hour TWA): 5 mg/m³.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Diphenylamine	-	TWA: 0.7 ppm	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
122-39-4		TWA: 5 mg/m ³			STEL: 20 mg/m ³
		STEL 1.4 ppm			
		STEL 10 mg/m ³			
		H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Diphenylamine	-	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³
122-39-4		Ceiling: 20 mg/m ³	STEL: 10 mg/m ³		STEL: 10 mg/m ³
		D*			
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
4,4'-Methylene	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	-	-
bis(dibutyldithiocarbamat		TWA: 20 mg/m ³	TWA: 20 mg/m ³		

e)				Peak: 20 mg/m ³			
10254-57-6				Peak: 160 mg/m ³			
Diphenylamine	T\///	A: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	Τ\Λ/Λ ·	10 mg/m ³	_
122-39-4	1 1 1 1 7 7	A. TO mg/m²	H*	Peak: 10 mg/m ³		20 mg/m ³	-
122-00-4			11	* *	OILL.	20 mg/m²	
Chemical name		Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
Diphenylamine	TWA	A: 10 mg/m ³	-	TWA: 10 mg/m ³		-	TWA: 4 mg/m ³
122-39-4	STE	L: 20 mg/m ³					STEL: 12 mg/m ³
Chemical name	Lu	xembourg	Malta	Netherlands	No	rway	Poland
Diphenylamine		-	-	-	TWA:	5 mg/m ³	TWA: 8 mg/m ³
122-39-4					STEL:	10 mg/m ³	
Chemical name	F	Portugal	Romania	Slovakia	Slo	venia	Spain
Diphenylamine	TWA	A: 10 mg/m ³	TWA: 4 mg/m ³	-	TWA:	5 mg/m ³	TWA: 10 mg/m ³
122-39-4			STEL: 6 mg/m ³		STEL:	10 mg/m ³	
						K*	
Chemical name		Sı	weden	Switzerland		Uni	ted Kingdom
4,4'-Methylene		-		TWA: 5 mg/m ³			-
bis(dibutyldithiocarbamate)				STEL: 20 mg/m ³			
10254-57-6							
Diphenylamine			: 4 mg/m³	TWA: 10 mg/m ³		TWA: 10 mg/m ³	
122-39-4		Vägledande	KGV: 12 mg/m ³	H*		STEL: 20 mg/m ³	

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Diphenylamine	-	10 g/dL Hemoglobin	-	-	-
122-39-4		(blood - not			
		provided)			
		12 g/dL Hemoglobin			
		(blood - not			
		provided)			
		79 - 97 fL mean			
		corpuscular volume			
		(blood - not			
		provided)			
		3.2 million/µL			
		Erythrocytes (blood -			
		not provided)			
		3.8 million/µL			
		Erythrocytes (blood -			
		not provided)			
		4000 Leukocytes/µL			
		(blood - not			
		provided)			
		13000			
		Leukocytes/µL			
		(blood - not			
		provided)			
		130000			
		Thrombocytes/µL			
		(blood - not			
		provided)			
		150000			
		Thrombocytes/µL			
		(blood - not			
		provided)			
		<=50 U/I (- Serum			
		transaminases			

T	
	SGOT not provided)
	<=35 U/I (- Serum
	transaminases
	SGOT not provided)
	<=50 U/I (- Serum
	transaminases
	SGPT not provided)
	<=35 U/I (- Serum
	transaminases
	SGPT not provided)
	<=66 U/I (- Serum
	transaminases GGT
	not provided)
	<=39 U/I (- Serum
	transaminases GGT
	not provided)
	(urine - one time
	yearly urine
	cytological
	examination)

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Hydrogenated base oil 64742-54-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Hydrogenated base oil 64742-65-0	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	-	0.08 mg/kg bw/day [4] [6]	0.6 mg/m³ [4] [6]
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	-	11.87 mg/kg bw/day [4] [6]	8.13 mg/m³ [4] [6]
Hydrogenated base oil 64742-70-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Hydrogenated base oil 64742-54-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Hydrogenated base oil 64742-65-0	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.04 mg/kg bw/day [4] [6]	-	0.14 mg/m ³ [4] [6]
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	0.24 mg/kg bw/day [4] [6]	-	2.06 mg/m³ [4] [6]
Hydrogenated base oil	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
64742-70-7			

Notes

[4] Systemic health effects.[5] Local health effects.[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.0338 mg/L	0.51 mg/L	0.00338 mg/L	-	-
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	4 μg/L	45 μg/L	4.6 μg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Hydrogenated base oil 64742-54-7	-	-	-	-	9.33 mg/kg food
Hydrogenated base oil 64742-65-0	-	-	-	-	9.33 mg/kg food
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.446 mg/kg sediment dw	0.0446 mg/kg sediment dw	10 mg/L	1.76 mg/kg soil dw	-
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	0.0244 mg/kg sediment dw	0.00244 mg/kg sediment dw	100 mg/L	0.00249 mg/kg soil dw	10.67 mg/kg food
Hydrogenated base oil 64742-70-7	-	-	-	-	9.33 mg/kg food

8.2. Exposure controls

Engineering controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate

ventilation, especially in confined areas.

Personal protective equipment

protection must conform to standard EN 166.

Hand protection If there is a risk of contact: Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for

information on breakthrough time for specific gloves.

If there is a risk of contact: Wear suitable protective clothing. (EN ISO 6529). Skin and body protection

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

Revision Date: 17-May-2023

protection.

Avoid release to the environment. Local authorities should be advised if significant spillages **Environmental exposure controls**

cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid Amber Colour

Mild hydrocarbon Odour **Odour threshold** No information available

Property Values Remarks • Method Melting point / freezing point No data available Initial boiling point and boiling range No data available **Flammability** No data available

71.8 cSt at 40 °C

11.2 cSt at 100 °C

0.8644

Flammability Limit in Air

Upper flammability or explosive

limits

Lower flammability or explosive

limits

244 °C Flash point

Autoignition temperature Decomposition temperature pН

pH (as aqueous solution)

Kinematic viscosity

Dynamic viscosity

Water solubility Solubility(ies) **Partition coefficient** Vapour pressure

Relative density **Bulk density Liquid Density** Relative vapour density

Particle characteristics

Particle Size Distribution

Particle Size

9.2. Other information -46 °C [ASTM D 97] **Pour Point**

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

Fire Point 260 °C (COC) [ASTM D 92]

No data available

No data available

Cleveland Open Cup ASTM D 92 No data available No data available No data available No data available

ASTM D445

No data available No data available

No data available No data available No data available No data available No data available No data available No data available

No data available No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapours. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in

large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogenated base oil 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hydrogenated base oil 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat) 4 h
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
4,4'-Methylene bis(dibutyldithiocarbamate) 10254-57-6	= 16000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Diphenylamine 122-39-4	= 1120 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

<u>Ottili Goli Gololiyii i Itati Gil</u>	may eace chair irritation.		
Component Information	Component Information		
Benzenamine, N-phenyl-, reaction proc	ducts with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion		
Species	Rabbit		
Exposure route	Dermal		
Effective dose	0.5 mL		
Exposure time	4 hours		
Results	Mild skin irritant		

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion	
Species	Rabbit	
Exposure route	Eye	
Effective dose	0.1 mL	
Results	non-irritant	

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Hydrogenated base oil	Not classified
Hydrogenated base oil	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

EcotoxicityNot considered to be harmful to aquatic life. Large or frequent spills may have hazardous effects on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogenated base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
64742-54-7		Oncorhynchus mykiss)		Daphnia magna)
Hydrogenated base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
64742-65-0		Oncorhynchus mykiss)		Daphnia magna)
Benzenamine, N-phenyl-,	EC50: 51mg/L	LC50: >100mg/L (96h,	-	-
reaction products with	(48h, Daphnia magna)	Danio rerio)		
2,4,4-trimethylpentene				
68411-46-1				
4,4'-Methylene	-	LC50: >0.06mg/L (96h,	-	-
bis(dibutyldithiocarbamate)		Oncorhynchus mykiss)		
10254-57-6				
Diphenylamine	EC50: =1.5mg/L (72h,	LC50: 3.47 - 4.14mg/L	-	EC50: 1.69 - 2.46mg/L
122-39-4	Scenedesmus	(96h, Pimephales		(48h, Daphnia magna)
	subspicatus)	promelas)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Benzenamine, N-phenyl-, reaction products with	6.66
2,4,4-trimethylpentene	
4,4'-Methylene bis(dibutyldithiocarbamate)	8.42
Diphenylamine	3.4

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

No information available. PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Hydrogenated base oil	The substance is not PBT / vPvB
64742-54-7	
Hydrogenated base oil	The substance is not PBT / vPvB
64742-65-0	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	The substance is not PBT / vPvB
68411-46-1	
4,4'-Methylene bis(dibutyldithiocarbamate)	The substance is not PBT / vPvB
10254-57-6	

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors. **Endocrine disrupting properties**

12.7. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Do not reuse empty containers. Contaminated packaging

Waste codes / waste designations

according to EWC / AVV

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

SECTION 14: Transport information

<u>IMDC</u>	<u> </u>	Not regulated
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
440	O	

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID		Not regulated
14.1	UN number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADR Not regulated Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable 14.6 Special Precautions for Users

Special Provisions None

IATA Not regulated 14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Diphenylamine	RG 15,RG 15bis
122-39-4	

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Hydrogenated base oil - 64742-54-7	Use restricted. See item 28.	-
	Use restricted. See item 75.	
Hydrogenated base oil - 64742-65-0	Use restricted. See item 28.	-
	Use restricted. See item 75.	
Diphenylamine - 122-39-4	Use restricted. See item 75.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number

Diphenylamine - 122-39-4	l.1
	l.2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H350 - May cause cancer

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

Legend

ATE: Acute Toxicity Estimate

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

SCBA Self-contained breathing apparatus

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	

Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 17-May-2023

Revision Date 17-May-2023

Revision Note Initial Release.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet